

Mga mahahalagang impormasyon sa Hepatitis C

Proyekto mula sa



Centre Associatif Polyvalent d'Aide Hépatite C

Ang hepatitis ay ang pamamaga ng atay. Ito ay maaaring sanhi ng isang virus (A, B, C, D, E), alkohol, ilang mga gamot o droga.

Kung hindi ito ginamot, maaring humantong sa mga komplikasyon tulad ng pagkabigo sa atay o kanser sa atay.




Ang hepatitis C virus (HCV) ay nalilipat sa pamamagitan ng dugo. Maari itong mabuhay hanggang sa 6 na lingo sa labas ng katawan.

Ang hepatitis C virus (HCV) ay maaaring manatili sa katawan sa loob ng 10, 20 o kahit 30 na taon na hindi nagdudulot ng anumang sintomas. Ito ay kilala bilang isang tahimik na impeksiyon.

Malusog na atay

Cirrhosis



Fibrosis

Kanser sa atay

Ang paggamot sa hepatitis C ay may 97% na bisa sa loob ng 8-12 na lingo) con de eficacia...
ngunit wala itong bakuna!

Upang maiwasan ang paghahatid ng virus:

Huwag magbabahagi ng mga bagay na ginagamit para sa paghahanda ng paggamot at/o paggamit ng droga



Huwag magbahagi ng mga personal na gamit sa kalinisan



Gumamit ng sterile, pang-isahang gamit na kagamitan para sa mga tattoos, piercings, at acupuncture...



Magpasuri
ka na!

Para sa karagdagang impormasyon, hanapin kami sa capahc.com

Sa pagpoondo ng



Agence de la santé
publique du Canada

Public Health
Agency of Canada

Some key information on hepatitis C!

A project from



Centre Associatif Polyvalent d'Aide Hépatite C

A hepatitis is an **inflammation of the liver**. It can be caused by a **virus** (A, B, C, D, E), **alcohol**, certain **medications** or **drugs**.

Left untreated, it can lead to **complications** such as **liver failure** or **liver cancer**.



The hepatitis C virus (**HCV**) is **transmitted by blood**. It can survive up to **6 weeks** outside of the body.

The hepatitis C virus (HCV) can remain in the body for **10, 20** or even **30 years** without causing **any symptoms**. This is known as a '**silent infection**'.

Healthy liver



Cirrhosis



Fibrosis



Liver cancer

The hep C treatment has a **97%** efficacy in **8-12 weeks**...but **there is no vaccine!**

To prevent the transmission of the virus :

Don't share equipment used for drug use and/or preparation



Do not share personal hygiene items



Use sterile, single-use equipment for tattoos, piercings, acupuncture...



Get tested!

Avec le financement de

For more information,
find us at capahc.com



Agence de la santé
publique du Canada

Public Health
Agency of Canada